With the aim of becoming a company that customers will know "It will work out if we ask Yokozeki"



Our company values aspects that can only be achieved by a Small company.

CEO: Koichiro Ito

My name is Koichiro Ito, CEO of Yokozeki Oil & Fat Industries Co., LTD.

Our company vision is to be "A specialized factory that produces unique oils that retain its personality to meet your needs"

Since the establishment of our company in 1948, we have been manufacturing oil and fat products for over 60 years. Oil and fat can be derived from various raw materials such as animals, plants, and fish.

Our founder Ginichiro Yokozeki has said, "The quality of oil and fat products is determined by the 'rightness' and 'humble attitude' toward the mystic blessing of nature," and used this true understanding of raw materials as the axis of our management.

By carrying on this philosophy, not only have we renovated our factories, but also aggressively invested in research and development.

In the process, we have received recognition with HACCP and ISO9001 in 2004 and 2007 respectively, and gained the trust of our customers.

We aim to be a company in which customers can say, "If we asked Yokozeki, they will be able to help us" or "Yokozeki may be the only one who can solve this."

With this as our mission, we would like to continue providing high-quality products and satisfaction to our customers. To meet the various needs of our customers, we would like to serve our role as the "customer's specialized factory."



Corporate Profile and History

Company name: Yokozeki Oil & Fat Industries Co., LTD.

Representative Director : Koichiro Ito Director(Factory Manager) : Minoru Ohmori Takeo Suzuki

Head Office/

Main Factory : 644-49 Hotsubo, Hitana, NakagoCho-Kitaibaraki-Shi, Ibaraki, JAPAN 319-1556

Tel:+81-293-42-1423(main line) Fax:+81-293-42-3260

Minaminakago

Factory: 2128-2, Hotsubo, Hitana, Nakagocho-

Kitaibaraki-Shi,Ibaraki, JAPAN 319-1556 Tel:+81-293-43-7720 Fax:+81-293-43-7720

Tokyo branch: Joyo Ueno Building 4F, Higashiueno 3-18-4,

Taito-ku, Tokyo, JAPAN 110-0015

Tel:+81-3-5834-3802 Fax:+81-3-5834-3803

Founded: 1948

Capital: 50.0 million yen Employees: 110 people

Major business: (I)Manufacturing of oil for food/industry

(ii) Manufacturing of cosmetic raw materials

(iii)Manufacturing of natural wax

(iv)Reaction/manufacturing of chemicals (v)Processing/manufacturing of resin

(V) Processing/ manufacturing of resin (vi) Small packing/oil extraction (vii) Products related to the items above (viii) Consignment business, research,

technical consultation

Correspondent banks: Mizuho Bank, Ltd. Hitachi Branch.

Joyo Bank, Ltd. Isohara Branch. Tukuba Bank,Ltd. Isohara Branch. Japan Finance Corporation. Mito Branch. Shoko Chukin Bank. Ltd. Mito Branch. 1948 Yokozeki Ginichiro(deceased) founded Yokozeki Oil and Fat Industries in Nishi Ochiai, Shinjuku-ku ,Tokyo. Started production of hydrogenated oil from fish oil.

1950 Extracted cetyl alcohol from sperm oil and started its production.
 1961 Reorganized the company into a corporation with capital of 2 million yen.

Renamed the company Yokozeki Oil & Fat Industries Co.,Ltd.

1969 Started production of secondary products, e.g., hydrogenated oil from castor oil and fatty acid.

1976 Started production of oils and fats for food based on the JAS standards.

1980 Recognized by JAS as a certified factory for processed oil

and fat for food(refined oil).

1981 Recognized by JAS as a certified factory for processed oil and fat for food(hydrogenated oil).

1982 Recognized by JAS as a certified factory for margarine and shortening.

1990 Moved the plant to Kitaibaraki-shi,Ibaraki.

1992 Constructed a mini-plant.

1993 Started production of natural wax.

1996 Reorganized Tokyo office into Tokyo branch.

1996 Constructed a wax plant(2T/B).

1998 Improved the mini-plant to have the three lines.

2001 Consolidated the hydrogenation facility of 3.3 tons; constructed a flaker.

2003 Constructed an ester factory.

2004 HACCP recognition received (plant). Implemented a private electric generator facility.

2007 ISO9001 certified for the plant and the Tokyo branch.

Constructed a synthesis reaction plant.

2009 Moved the Tokyo branch to Nihonbashi.

2010 Constructed a plant for liquid hydrogen.2012 Constructed a building for office functions of the headquarters.

2013 Constructed a dangerous goods manufacturing site. Implemented an energy transformation system and shifted to LNG.Started constructing a

new deodorizing tower. Construction of new deodorization tower. 2015 New establishment of Minaminakago Factory.

2018 Acquired RSPO certification.

2018 Got a patent for "Technol SD".

2019 ISO14001 certified for the main factory, Minaminakago factory and the Tokyo branch.

2019 Moved the wax and ester plants to Minaminakago factory.











Yokozeki Oil & Fat Industries Co.,LTD.

Cosmetic Ingredients List

			NINADA		Dooking	51 . 1		ISO1	6128	
◇Natural Oil	INCI	Reach	Reach China		kg	Physical Form	Natural index	Natural origin index	Organic index	Organic origin index
Tsubaki Oil	CAMELLIA JAPONICA SEED OIL	✓	✓	✓	16.5Tin	Oil	1	1	0	0
Camellia Oil EXD	CAMELLIA OLEIFERA SEED OIL	✓	✓		16.5 Tin 180 DM	Oil	1	1	0	0
Macadamia Nut Oil	MACADAMIA TERNIFOLIA SEED OIL	✓	✓	V	16.5Tin	Oil	1	1	0	0
Sunflower Seed Oil	HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL	✓	V	V	16.5 Tin 181.5 DM	Oil	1	1	0	0
Yuzu Oil	CITRUS JUNOS SEED OIL	✓	✓	✓	1Tin	Oil	1	1	0	0
Amla Oil	PHYLLANTHUS EMBLICA FRUIT EXTRACT	✓	✓		16.5Tin	Oil	1	1	0	0
Almond Oil	PRUNUS AMYGDALUS DULCIS (SWEET ALMOND) OIL	✓	✓		16.5Tin	Oil	1	1	0	0
Grape Seed Oil	VITIS VINIFERA (GRAPE) SEED OIL	✓	✓		16.5Tin	Oil	1	1	0	0

		Reach Exemption China			Daaliina	51 · 1	ISO16128				
◇Vegetable Butter	INCI			Neacii		COSMOS	kg	Physical Form	Natural index	Natural Origin index	Organic index
Macadamia Nut Butter	MAKADAMIA SEED OIL / HYDROGENATED MAKADAMIA SEED OIL ESTERS	~	✓	✓	15 Tin	Paste	0	1	0	0	
Sunflower Butter	SUNFLOWER SEED OIL / HYDROGENATED SUNFLOWER SEED OIL ESTERS	~	✓	✓	15 Tin	Paste	0	1	0	0	
Camellia Butter	CAMELLIA OLEIFERA SEED OIL / HYDROGENATED CAMELLIA OLEIFERA SEED OIL ESTERS	~	✓	✓	15 Tin	Paste	0	1	0	0	

		Reach INCI			Docking		ISO16128				
○Hydrogenated Oil	INCI			INCI COSMOS		Physical Form	Natural index	Natural origin index	Organic index	Organic origin index	
Hydrogenated Rapeseed Oil	HYDROGENATED RAPESEED OIL		✓		20 Bag	Flake	0	1	0	0	
Hydrogenated Hi Erucic Acid Rapeseed Oil	TRIBEHENIN		V		20 Bag	Flake	0	1	0	0	
Hydrogenated Palm Oil	HYDROGENATED PALM OIL		>		20 Bag	Flake	0	1	0	0	
Hydrogenated Soybean Oil	HYDROGENATED SOYBEAN OIL		V		20 Bag	Flake	0	1	0	0	



Yokozeki Oil & Fat Industries Co.,LTD.

Cosmetic Ingredients List

	Peach NMPA		Dooking	D		ISO1	6128			
◇Wax	INCI	Reach Exemption	Meacii ICO		kg	Physical Form	Natural index	Natural origin index	Organic index	Organic origin index
Candelilla Wax MK-2	EUPHORBIA CERIFERA (CANDELILLA) WAX	✓	✓	✓	20 Bag	Pellet	1	1	0	0
Candelilla Wax MK-4	EUPHORBIA CERIFERA (CANDELILLA) WAX	✓	✓	✓	20 Bag	Pellet	1	1	0	0
Candelilla Wax MK-5	EUPHORBIA CERIFERA (CANDELILLA) WAX	✓	✓	✓	20 Bag	Pellet	1	1	0	0
Constability Mrs. NAD 24	CANDELILLA WAXHYDROCARBONS	✓	✓	✓	10 Box	Pellet	1	1	0	0
Candelilla Wax MD-21	EUPHORBIA CERIFERA (CANDELILLA) WAX	✓	✓		10 Box	Pellet	1	1	0	0
Carnauba Wax R-100	COPERNICIA CERIFERA (CARNAUBA) WAX	✓	✓	V	20 Bag	Pellet	1	1	0	0
Sunflower Wax	HELIANTHUS ANNUUS (SUNFLOWER) SEED WAX	✓	✓	✓	20 Bag	Pellet	1	1	0	0
Japan Wax-Y	RHUS VERNICIFLUA PEELWAX	✓	✓	V	10 Box	Pellet	1	1	0	0
Bees Wax CY-100	BEESWAX	✓	✓	V	20 Bag	Pellet	1	1	0	0
	SACCHARUM OFFICINARUM (SUGAR CANE) EXTRACT	✓	✓	V						
Sugarcane Wax	SACCHARUM OFFICINARUM (SUGARCANE) WAX	√		√	20 Bag	Pellet	1	1	0	0
Rice Bran Wax S-100	ORYZA SATIVA (RICE) BRAN WAX	V	✓	✓	20 Bag	Pellet	1	1	0	0
Rice Wax R-100	ORYZA SATIVA (RICE) BRAN WAX (and) HYDROGENATED PALM OIL (and) HYDROGENATED RAPESEED OIL		✓	✓	20 Bag	Pellet	0.5	1	0	0
Jojoba Seed Oil	SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL	✓	✓	✓	16Tin	Oil	1	1	0	0
Viscosity Wax U-1	SYNTHETIC JAPAN WAX	✓	✓		10 Box	Pellet	0	0.95	0	0
Viscosity Wax C-1	SYNTHETIC JAPAN WAX	V	✓		10 Box	Pellet	0	0.95	0	0

		Reach Exemption China COSMOS			Dacking	Discost seed	ISO16128				
	INCI			COSMOS	kg	Physical Form	Natural index	Natural origin index	Organic index	Organic origin index	
Technol® MH	HYDROGENATED CASTOR OIL HYDROXYSTEARATE		✓		16Tin	Paste	0	1	0	0	
Technol® MIS	HYDROGENATED CASTOR OIL ISOSTEARATE		>		16Tin	Paste	0	1	0	0	
Technol® SD(Non-GMO)	HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL UNSAPONIFIABLES	✓	>	✓	16Tin	Oil	1	1	0	0	
Technol® LTO	JOJOBA OIL/ CAPRYLIC/ CAPRIC TRIGLYCERIDE ESTERS	✓	>	✓	16Tin	Oil	0	1	0	0	
Technol® PG	LECITHIN	V	>	✓	500g	Paste	0	1	0	0	



Tsubaki Oil





INCI NAME	CAMELLIA JAPONICA SEED OIL
REACH Exemption	v
CHINA INCI	山茶 (CAMELLIA JAPONICA) 籽油
CAS	223748-13-8
EINECS	_
NET	16.5kg/Tin can
Shelf life	2 years

Specification	
Acid value	5 max.
lodine value	78 - 83
Saponificatiion value	189 - 194
Unsaponifiable matter, %	1.0 max.
Specific gravity , 20/20	0.910 - 0.915
Arsenic , ppm	2 max.
Heavy metal , ppm	20 max.

Origin

This product is extracted and purified from Tsubaki seeds (*Camellia Japonica*). It contains more than 83% oleic acid;therefore, this oil is a plant oil of very high oxidative stability.

Especially in Japan, Tsubaki oil has been used as a hair oil to promote natural luster and moisture for centuries.

Properties

- Transparent , pale yellow in color
- Odorless
- High in oleic acid
- Dry oil
- Superior oxidative stability

Application

- Cosmetics
- Toiletries
- Skin care products
- · Hair care products
- Sun care products
- Lip care products

Oxidative Stability, CDM120

About 5.5 hours

Fatty acid composition(%) Our measured value							
Palmitic acid	C16	6.3					
Palmitoleic acid	C16:1	0.1					
Stearic acid	C18	1.9					
Oleic acid	C18:1	88.8					
Linoleic acid	C18:2	2.6					
Linolenic acid	C18:3	0.1					
Arachidic acid	C20	-					
Eicosenoic acid	C20:1	0.2					
Others		0.0					





History of Tsubaki Oil





It has been used as:

A cooking oil for Japanese Tempura.

A metal protector for Japanese "Katana" samurai swords.

A hair treatment to make hair shiner, healthier and more vibrant.

[HARVEST and EXTRACTION PROCESS] We only use Japanese Tsubaki seeds.



Tsubaki Trees blossom from January to March.



The seeds fall and are collected by hand from October to February.



The seeds are sun-dried and sorted.



The oil is then refined in our factory to bring you the highest quality Tsubaki oil.



Tsubaki Oil is extracted by cold pressing the seeds.

**The amount of oil extracted is approximately 20%-30% of the total weight of the seeds.



Camellia Oil EXD



INCI NAME	CAMELLIA OLEIFERA SEED OIL
REACH Exemption	v
CHINA INCI	油茶(CAMELLIA OLEIFERA)籽油
CAS	225233-97-6
EINECS	_
NET	16.5kg/Tin can , 180kg/Drum
Shelf life	2 years

Specification	
Acid value	1.0max.
lodine value	78 - 88
Saponificaition value	185 - 197
Color , Lovibond133.4mm	R 1.2 max.
Moisture , %	0.1 max.
Unsaponifiable matter, %	1.5 max.
Arsenic , ppm	2 max.
Heavy metal , ppm	20 max.

Origin

This product is a natural oil, which is extracted and purified from Camellia seeds (*Camellia Oleifera Abel*).

It contains more than 80% oleic acid; therefore,

this oil is a plant based oil of very high oxidative stability.

Camellia grows on evergreen trees and blooms from

October to January. *Camellia oleifera* is the most abundant among the camellia genus in the Theaceae family.

The kernel contains around 35% of the oil.

This is a dry oil and similar to Tsubaki oil because their flowers both belong to genus Camellia, family Theaceae.

Properties

- Transparent , pale yellow in color
- Odorless
- · High in oleic acid
- Dry oil
- Superior oxidative stability

Application

- Cosmetics
- Toiletries
- Skin care products
- · Hair care products
- Sun care products
- Lip care products

Oxidative Stability , CDM120

About 6 hours



Fatty acid composition(%) Our measured value							
Palmitic acid	C16	5.5					
Stearic acid	C18	1.9					
Oleic aicd	C18:1	82.5					
Linoleic acid	C18:2	7.8					
Linolenic acid	C18:3	0.3					
Arachidic acid	C20	-					
Eicosenoic acid	C20:1	0.5					
Others		0.0					



Camellia Oil



Camellia oleifera trees, which originated in China, blossom from October to December.

In China, it has been known as a longevity oil for over 1,000 years, and it was given as a gift to the emperor.

It has an excellent softening effect and is mixed with other oils to make a variety of cosmetic products.



Macadamia Nut Oil





INCI NAME	MACADAMIA TERNIFOLIA SEED OIL
REACH Exemption	•
CHINA INCI	澳洲坚果(MACADAMIA TERNIFOLIA) 籽油
CAS	128497-20-1 , 129811-19-4
EINECS	273-313-5
NET	16.5kg/Tin can
Shelf life	2 years

Specification	
Acid value	0.1 max.
Iodine value	70 - 80
Saponificaition value	190 - 200
Color , Lovibond133.4mm	Total 5.0 max.
Peroxide value	0.5 max.
Moisture, %	0.1 max.
Unsaponifiable matter, %	1.5 max.
Arsenic , ppm	2 max.
Heavy metal , ppm	20 max.

Origin

This product is a natural oil which is a pressed and purified seed oil derived from *Macadamia Ternifolia* (*F.Muell Proteaceae*).

Macadamia nuts have been cultivated in Hawaii, Australia, the Pacific Islands and Kenya and is commonly used as a food and cosmetic ingredient.

Properties

- · Transparent , pale yellow in color
- Odorless
- · High in palmitoleic acid
- Dry oil

Application

- Cosmetics
- Toiletries
- Skin care products
- Hair care products
- · Sun care products
- Lip care products

Oxidative Stability, CDM120

About 5.5 hours



Fatty acid composition(%) Our measured value			
Myristic acid	C14	0.8	
Palmitic acid	C16	8.8	
Palmitoleic acid	C16:1	22.2	
Stearic acid	C18	3.3	
Oleic aicd	C18:1	55.4	
Linoleic acid	C18:2	3.2	
Linolenic acid	C18:3	0.1	
Arachidic acid	C20	2.7	
Eicosenoic acid	C20:1	2.5	
Behenic acid	C20	0.8	
Others		0.2	



Macadamia Nut Oil





Its main components are triglyceride of oleic acid and palmitoleic acid.

It contains nearly 25% palmitoleic acid so it makes skin and hair softer to the touch.

YOKOZEKI



Sunflower Seed Oil



Origin

This product is a refined oil with high oleic acid content derived from the Sunflower (*Helianthus annuus Linne*《Compositae》) seed.

The original sunflower seed contains about 70% linoleic acid, though the recent hybrid seed produces an oil with high oxidative stability derived from a higher oleic content (less polyunsaturated fatty acids). Our hioleic sunflower oil is produced from this hybrid seed.

Properties

- Transparent , pale yellow in color
- Odorless
- High in oleic acid
- High in natural vitamin E
- Dry oil
- · Superior oxidative stability

Application

- Cosmetics
- Toiletries
- Skin care products
- · Hair care products
- Sun care products
- Lip care products

Oxidative Stability, CDM120

About 12 hours



INCI NAME	HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL		
REACH Exemption	✓		
CHINA INCI	向日葵(HELIANTHUS ANNUUS)籽油		
CAS	8001-21-6		
EINECS	232-273-9		
NET	16.5kg/Tin can		
Shelf life	2 years		


Specification		
Acid value	0.1 max.	
lodine value	78 - 88	
Saponificatiion value	185 - 195	
Color , Lovibond133.4mm	R 1.2 max.	
Peroxide value	1.0 max.	
Unsaponifiable matter, %	2.5 max.	
Arsenic , ppm	2 max.	
Heavy metal , ppm	20 max.	
Infrared spectroscopy	PASS	



Fatty acid composition(%) Our measured value			
Palmitic acid	C16	2.8	
Palmitoleic acid	C16:1	Tr	
Stearic acid	C18	3.8	
Oleic aicd	C18:1	88.8	
Linoleic acid	C18:2	3.5	
Linolenic acid	C18:3	0.1	
Arachidic acid	C20	0.3	
Eicosenoic acid	C20:1	0.3	
Others		0.0	



Sunflower Seed Oil



It is widely cultivated now in the Soviet Union, Argentina, Eastern Europe, the United States and others.

It is superior in transparency, the touch. The oil is rich in vitamin E.

Over 40% of the Sunflower's seed's weight is oil.





Yuzu Oil





COSMOS APPROVED

INCI NAME	CITRUS JUNOS SEED OIL	
REACH Exemption	✓	
CHINA INCI	香橙(CITRUS JUNOS)籽提取物	
CAS	_	
EINECS	_	
NET	1kg/Tin can	
Shelf life	2years	

Specification

Acid value	0.1 max.
lodine value	95 - 105
Saponificatiion value	190 - 200
Moisture , %	0.1 max.
Arsenic , ppm	2 max.
Heavy metal , ppm	20 max.



Origin

This product is extracted and purified from Citrus junos seeds (Japanese Yuzu).

It is a citrus fruit and plant in the family Rutaceae.

Yuzu is also known for its characteristically strong aroma, and the oil from its skin is marketed as a fragrance. In Japan, bathing with yuzu, is a custom that dates to at least the early 18th century. The yuzu bath is said to guard against colds, treat the roughness of skin, warm the body, and relax the mind.

Properties

- Transparent , pale yellow in color
- Odorless
- · Japanese Origin
- Prevent skin from transepidermal water loss
- · Inhibitory effect of tyrosinase activity
- Relief of itching
- Effect on the anti-aging

Application

- Cosmetics
- Toiletries
- · Skin care products
- · Hair care products
- · Sun care products
- Lip care products



Fatty acid composition(%) Our measured value			
Palmitic acid	C16	20.0	
Palmitoleic acid	C16:1	0.5	
Stearic acid	C18	4.1	
Oleic aicd	C18:1	37.0	
Linoleic acid	C18:2	36.1	
Linolenic acid	C18:3	2.0	
Arachidic acid	C20	0.3	
Others		0.0	



Yuzu Oil



YOKOZEKI

Amla Oil



Origin

This product is extracted and purified from Amla seeds(Phyllanthus emblica). It contains high linolenic acid.

It has been used for Ayurveda which is a system of medicine with historical roots in India.

Properties

Characteristic

Transparent, pale yellow color

High in linoleic acid

INCI NAME	PHYLLANTHUS EMBLICA FRUIT EXTRACT		
CHINA INCI	余甘子(PHYLLANTHUS EMBLICA) 果提取物		
CAS	90028-28-7		
EINECS	_		
NET	16.5kg/Tin can		
Shelf life	2 years		

Almond Oil



Origin

This product is extracted and purified from Almond seeds. It contains more than 50% oleic acid and rich in vitamin E, B2 and minerals.

PropertiesTransparent, pale yellow color

Characteristic

High in oleic acid

INCI NAME	PRUNUS AMYGDALUS DULCIS (SWEET ALMOND) OIL	
CHINA INCI	甜扁桃 (PRUNUS AMYGDALUS DULCIS) 油	
CAS	8007-69-0 / 90320-37-9	
EINECS	_	
NET	15kg/Tin can	
Shelf life	2 years	

Grape Seed Oil



Origin

This product is extracted and purified from Grape (Vitis vinifera) seeds. The seeds are removed in the process of making wine. It contains antioxidant vitamin E and Palmitic acid. It has attracted attention as an anti-aging oil.

Properties

Characteristic

Transparent, pale yellow color

High in linoleic acid & Oleic acid

INCI NAME	VITIS VINIFERA (GRAPE) SEED OIL	
CHINA INCI	葡萄 (VITIS VINIFERA) 籽油	
CAS	8024-22-4	
EINECS	-	
NET	15kg/Tin can	
Shelf life	2 years	





ApplicationSkin care & Body care products Hair care products

Fatty acid composition(%) Our measured value			
Palmitic acid	C16	10.7	
Palmitoleic acid	C16:1	0.1	
Stearic acid	C18	4.8	
Oleic acid	C18:1	23.8	
Linoleic acid	C18:2	52.3	
Linolenic acid	C18:3	6.3	
Arachidic acid	C20	0.5	
Eicosenoic acid	C20:1	0.7	
Behenic acid	C22	0.5	
lignoceric acid	C24	0.2	
Others		0.1	



Almond Oil



Application

Skin care & Body care products Hair care products

Fatty acid composition	(%) Our measure	d value
Palmitic acid	C16	6.5
Palmitoleic acid	C16:1	0.8
Stearic acid	C18	1.5
Oleic acid	C18:1	66.4
Linoleic acid	C18:2	23.3
Linolenic acid	C18:3	0.0
Arachidic acid	C20	0.3
Eicosenoic acid	C20:1	0.5
Behenic acid	C22	0.0
lignoceric acid	C24	0.0
Others		0.7



Grape Seed Oil



Application

Skin care & Body care products Hair care products

Fatty acid composition(%) Our measured value		
Palmitic acid	C16	7.3
Palmitoleic acid	C16:1	0.1
Stearic acid	C18	3.5
Oleic acid	C18:1	18.5
Linoleic acid	C18:2	69.7
Linolenic acid	C18:3	0.5
Arachidic acid	C20	0.2
Eicosenoic acid	C20:1	0.2
Behenic acid	C22	0.0
lignoceric acid	C24	0.0
Others		0.0





Candelilla Wax MK-2, MK-4, MK-5, MD-21





Origin

Candelilla wax is a natural wax derived from the Candelilla shrub which is found in arid zones in northern Mexico to the southwestern United States. The Candelilla shrub stems have a thin wax film and almost no leaves. They grow in arid areas where the temperature difference between the summer and winter season is 65 degrees. Harvested candelilla shrubs are sun dried and then boiled to obtain slack waxes.

Properties

Yellow solid with slight with a characteristic scent

<u>Application</u>

Lipsticks, Foundations, Hair styling products, Emulsion, Exfoliating agent

Grade

- ♦ Candelilla wax MK-2
 - General
- ♦ Candelilla wax MK-4
 - Peculiar smell is improved, comparing to general grade.
- ◆ Candelilla wax MK-5
 - Light color, comparing to general grade.
- ◆ Candelilla Wax MD-21


This products is a fraction of Candelilla wax hydrocarbon portion to higher concentration.

Melting point 66°C, Hydrocarbon content approx. 80%



	MK-2	MK-4	MK-5	de BA	MD-21
INCI NAME	Е	EUPHORBIA CERIFERA(CANDELILLA)WAX			CANDELILLA WAX HYDROCARBONS
REACH Exemption	~	v v v v			
CHINA INCI	小烛树(EUPHORBIA CERIFERA)蜡)蜡	
CAS	8006-44-8				
EINECS	232-347-0				
NET	20kg/Bag 10kg/Box		10kg/Box		
Shelf life	3 years				

Specification	MK-2	MK-4 , MK-5	MD-21
Acid value	14 - 24	14 - 24	2 - 15
lodine value	10 - 22	10 - 22	1 - 18
Saponificaition value	46 - 65	46 – 65	5 - 20
Color , Gardner	12 max.	9 max.	4 max.
Melting point , °C	68 - 72	68 - 72	60 - 70
Loss on drying , %	0.3 max.	0.3 max.	0.3 max.
Residue on Ignition , %	0.3 max.	0.3 max.	0.1 max.
Arsenic , ppm	2 max.	2 max.	2 max.
Heavy metal , ppm	20 max.	20 max.	20 max.





Candelilla Wax de BA



INCI NAME	EUPHORBIA CERIFERA (CANDELILLA) WAX	
CHINA INCI	小烛树(EUPHORBIA CERIFERA)蜡	
CAS	8006-44-8	
EINECS	232-347-0	
NET	20kg / Bag	
SHELF LIFE	3 years	

Specification	
Acid Value	14 - 24
Iodine Value	10 - 22
Saponification Value	46 - 65
Color, Gardner	12 max.
Melting Point (°C)	68 – 72
Loss on Drying	0.3% max.
Residue on Ignition	0.3% max.
Arsenic	2 ppm max.
Heavy Metal	20ppm max.
Benzyl alcohol	5 ppm max.



Origin

The 2003 EU Cosmetics Directive (76/768/EEC) designates 26 fragrance ingredients as allergenic substances.

Candelilla wax is known to contain several hundred ppm of Benzyl alcohol, which is on the list of 26 allergens.

ISO16128(%)

Natural origin index 100

Organic origin index 0

Natural index

Organic index

100

We have developed a technology to remove Benzyl alcohol, making it possible for us to provide safe candelilla wax to everyone.

Benzyl alcohol 5ppm max. Below detection limit by GC-MS Yellow to Brown solid with slightly characteristic scent.

Applications

Lip sticks


- Foundations
- Hair styling products
- **Emulsion**
- Mascara
- Eyebrow
- Exfoliating agent

Regulation

It is a CITES class 2 raw material.

Government-issued documents are required for import and export.

Analysis results for Benzyl alcohol (Internal analysis)





Candelilla Wax MK-2,MK-4,MK-5,MD-21



Carnauba Wax R-100



Origin

This product is a natural wax derived from leaves and leaf buds of palm plant. (Carnauba Palm *Copernisia cerifera*)

Properties

Light yellow to light brown solid with peculiar smell

Application

High melting point hard wax Excels in emulsifiability and dispersibility Lipsticks, foundation, hair wax, emulsion, scrub agent

Others

Shape Pellet



INCI NAME	COPERNICIA CERIFERA (CARNAUBA) WAX
REACH Exemption	V
CHINA INCI	巴西棕榈树(COPERNICIA CERIFERA)蜡
CAS	8015-86-9
EINECS	232-399-4
NET	20kg/Bag
Shelf life	3 years



Specification	
Acid value	10 max.
lodine value	5 - 14
Saponificaition value	78 - 95
Color , Gardner	12 max.
Melting point , °C	80 - 86
Loss on drying , %	0.3 max.
Residue on Ignition , %	0.1 max.
Arsenic , ppm	2 max.
Heavy metal , ppm	20 max.



Carnauba Wax R-100



The Height of the Carnauba tree is approximately from 7m to 18m.



The growth of Carnauba tree is slow, it is said that it takes about 15 years until the wax can be collected.









Sunflower Wax



Origin-overview

This product is a natural wax derived from sunflower seed.
This products is mono-esters of C42-62, which consists of Long chain fatty acids
C20-30 and long chain alcohols C22-32
Excels in solubility and foam hard gels.

Properties

Pale yellow solid with slight peculiar smell

Applications

Lipsticks, Foundations, Hair waxes, Emulsion, Scrubbing agent

Summary

- Light color , less smell
- Excellent solubility
- High gelling ability
- Dissolve in Cyclomethicone(D5)
- Wide application



INCI NAME	HELIANTHUS ANNUUS (SUNFLOWER) SEED WAX
REACH Exemption	V
CHINA INCI	向日葵(HELIANTHUS ANNUUS)籽蜡
CAS	1286686-34-7
EINECS	310-127-6
NET	20kg/Bag
Shelf life	3 years

Specification

Properties	Pale yellow to yellow so	id with peculiar smell
Acid value		5 max.
Iodine value		10 max.
Saponificaition value		75 - 95
Color , Gardner		6 max.
Melting point , °C		74 - 80
Residue on Ignition , %		0.3 max.
Arsenic , ppm		2 max.
Heavy metal , ppm		20 max.

Ester composition(%	6) Our measured value
C42	2.5
C44	13.1
C46	20.6
C48	17.0
C50	10.8
C52	9.6
C54	7.1
C56	4.7
C58	2.8
C60	2.0
C62	1.0
Others	8.8




Sunflower Wax

Formula of Balm, colorless

- Soft touch
- Smooth & light texture

	PRODUCT NAME	INCI NAME	%
1	MACADAMIA NUT BUTTER 40	MACADAMIA TERNIFOLIA SEED OIL (and) C10-18 TRIGLYCERIDES	82.95
2	MACADAMIA NUT BUTTER 50	MACADAMIA TERNIFOLIA SEED OIL (and) C10-18 TRIGLYCERIDES	10.00
3	SUNFLOWER WAX	HELIANTHUS ANNUUS (SUNFLOWER) SEED WAX	7.00
4	-	TOCOPHEROL	0.05
		TOTAL	100.00

Wax Gelling Ability



Wax Solubility

		Es	ter	Hy	Hydrocarbons					Es	ter			Silicone			Vegetable Oil			Alc.		UV	Ot	her			
		Technol MIS	Technol MH	C9-11,C10-13 ISOPARAFFIN	PARAFFIN (70)	PARAFFIN (350)	SQUALANE	ISONONYL ISONONANOATE	ETHYLHEXYL PALMITATE	CETYL ETHYLHEXANOATE	TRIETHYLHEXANOIN	POLYGLYCERYL-2 TRIISOSTEARATE	DIISOSTEARYL MALATE	PHENYLTRIMETHICONE	DIMETHICONE (2)	DIMETHICONE (6)	DIMETHICONE (20)	CYCLOMETHICONE (D5)	Technol SD (Non-GMO)	JOJOBA OIL	CAMELLIA OIL	CASTOR OIL	OCTYLDODECANOL	OLEIC ACID	ETHYLHEXYL METHOXYCINNAMATE	GLYCERIN	PEG-400
Product Candelilla Wax	MK-4	S	S	S	D	D	D	S	S	S	S	S	S	D	-	-	-		S	S	S	S	S	S	S	-	
Candelilla Wax	MD-21	S	S	S	S	S	S	D D	D	S	S	S	S	S	S	1		S	S	<u> </u>		S	S	S	S	-	
Sunflower Wax	1010-21	S	S	S	S	S	S	S	S	S	S	S	S	S	S	1	1	S	S	S	<u>S</u>	S	S	S	S	1	1

Oil: Wax = 80: 20 S Soluble D Dispersion I Insoluble



Rice Bran Wax S-100, R-100





Origin

This product is a natural wax derived from rice bran. This is a hard wax and main components are esters of higher alcohols and higher fatty acids.

Properties

Yellow to brown solid with peculiar smell

Application

Mascara, Foundations, Eyeliner, Emulsion, Scrubbing agent

Others

Shape Pellet

Grade

- Rice Bran Wax S-100
 - General grade Melting point 78°C
- Rice Wax R-100
 Hydrogenated oil mixture.
 (Rice bran wax, Hydrogenated palm oil,
 Hydrogenated rapeseed oil) Melting point 73°C

	S-100	R-100					
INCI NAME	ORYZA SATIVA (RICE) BRAN WAX	ORYZA SATIVA (RICE) BRAN WAX (and)HYDROGENATED PALM OIL (and)HYDROGENATED RAPESEED OIL					
REACH Exemption	V						
CHINA INCI	稻(ORYZA SATIVA)糠蜡	稻(ORYZA SATIVA)糠蜡,氢化棕榈油,氢化菜籽油					
CAS	8016-60-2	8016-60-2 / 68514-74-9 / 84681-71-0					
EINECS	232-409-7	232-409-7 / 271-056-3 / 283-532-8					
NET	20kg/Bag						
Shelf life	3 years						

	S-100	R-100
Acid value	10 max.	7 max.
lodine value	13 max.	7 max.
Saponificatiion value	70 - 95	120 - 150
Color , Gardner	13 max.	13 max.
Melting point , °C	77 - 83	73 - 80
Loss on drying , %	1 max.	1 max.
Residue on Ignition , %	0.3 max.	0.3 max.
Arsenic , ppm	2 max.	2 max.
Heavy metal , ppm	10 max.	10 max.



Rice Bran Wax S-100, R-100



Bees Wax CY-100





INCI NAME	BEES WAX
REACH Exemption	v
CHINA INCI	蜂蜡
CAS	8006-40-4
EINECS	232-383-7
NET	20kg/Box
Shelf life	2 years

Origin

This product is a bleached and refined wax derived from bees nest.

Properties

White to pale yellow solid with slight peculiar smell

Characteristics

Animal wax and makes fine crystal. Shows viscosity and easy emulsify.

Application

High melting point hard wax Excels in emulsifiability and dispersibility Cream, Lipsticks, foundation, emulsion, Mascara

Others

Shape Pellet




Specification	
Acid value	17 - 22
lodine value	5 - 15
Saponificaition value	80 - 100
Color , Gardner	5 max.
Peroxide Value	5 max.
Melting point , °C	60 - 67
Residue on Ignition , %	0.05 max.
Arsenic , ppm	2 max.
Heavy metal , ppm	20 max.
Infrared spectroscopy	PASS



Bees Wax CY-100

[Processing Beeswax From Honeycomb]



Beeswax is said to have been used to preserve the mummy in the Egyptian Empire era.

Beeswax is natural wax produced by honey bees. It is edible and is used a variety of food products as well as cosmetics.

Beeswax has played an important role in the survival of mankind for many years.



Sugarcane Wax



INCI NAME	SACCHARUM OFFICINARUM (SUGAR CANE) EXTRACT	SACCHARUM OFFICINARUM (SUGARCANE) WAX			
CHINA INCI	甘蔗(SACCHARUM OFFICINARUM)提取物	_			
CAS	91722	2-22-4			
EINECS	294-4	-424-5			
NET	20kg	g / Bag			
SHELF LIFE	3 years				

Specification

Appearance	Brown, Solid
Odor	Characteristic odor
Acid Value	50 max.
Saponification Value	$50\sim$ 110
Melting Point	70 \sim 80 $^{\circ}$ С
Loss on Drying	0.3% max.
Residue on Ignition	0.3% max.
Arsenic	1 ppm max.
Heavy Metal	10ppm max.

Solubility

Lludracarbana	Paraffin (70)	S
Hydrocarbons	Squalane	S
	Ethylhexyl Palmitate	S
	Cetyl Ethylhexanoate	S
Estes	Triethylhexanoin	S
	Polyglyceryl-2 Triisostearate	S
	Diisostearyl Malate	S
	Dimethicone (2)	_
Silicone	Dimethicone (6)	-
	Cyclomethicone (D5)	1
Vegetable Oil	Camellia Seed Oil	S

Oil: Wax = 80: 20 Temp.80°C S Soluble Insoluble

Origin

It is obtained by separation and purification from the residue of the juice of the stalk of the grass cane (*Saccharum officinarum LINNE*). The main component is Myristyl palmitate. It contains a large amount of policosanol.

Properties

Brown solid with slight peculiar smell Melting point 77° C

Characteristics

- ◆ Alternative to Bees wax
- ◆ Plant –derived
- ♦ Non-GMO
- Sustainability ingredients
- ◆ China INCI approved
- ◆ Reach exemption

Applications


- Lip sticks
- Mascara
- Eyebrow
- Hair styling
- products



COSMOS APPROVED



Gelling ability





Viscosity Wax U-1, C-1



Introduction

We focused on viscosity of Japan wax and revealed its effective molecule. You can supply superior stick cosmetics in texture and properties by controlling such molecule.

Feature

- : Application to stick type cosmetics Effects
- Increment of strength with elasticity (not easy to break)
- Texture improvement (adhesion increment)
- Bloom less after time passing (stable wax)
- Prevention of quality fluctuation between LOTs (quality stabilization of products)

Identify

	U-1	C-1
INCI NAME	SYNTHETIC JAPAN WAX	SYNTHETIC JAPAN WAX
REACH Exemption	V	V
CHINA INCI		合成日本蜡
CAS	225234-38-8 , 85665-33-4	8002-13-9 , 85665-33-4
EINECS	— , 288-123-8	232-229-0 , 288-123-8
Melting Point	52°C	54°C
Net	10kg/Box	10kg/Box
Shelf life	3 years	3 years
Main origin	RHUS VERNICIFLUA PEEL WAX	RAPESEED OIL

Blooming test: Pencil




After 3 months, at RT

Formula: Eyebrow


	-	
PRODUCT NAME	INCI NAME	%
Viscosity wax U-1	SYNTHETIC JAPAN WAX	12
	HYDROGENATED CASTOR OIL	5
	STEARIC ACID	10
	SUCROSE TRIBEHENATE	5
	DIISOSTEARYL MALATE	6
	HYDROGENATED PALM OIL	10
	CETYL ETHYLHEXANOATE	10.96
	TOCOPHEROL	0.04
	MICA	5.5
	TALC	0.5
	IRON OXIDES	19
	TITANIUM DIOXIDE	16
	TOTAL	100
		Viscosity wax U-1 SYNTHETIC JAPAN WAX HYDROGENATED CASTOR OIL STEARIC ACID SUCROSE TRIBEHENATE DIISOSTEARYL MALATE HYDROGENATED PALM OIL CETYL ETHYLHEXANOATE TOCOPHEROL MICA TALC IRON OXIDES TITANIUM DIOXIDE



Viscosity Wax U-1, C-1



Formula: Lip Stick



	<u> </u>		
	PRODUCT NAME	INCI	
1	Sunflower Wax	Helianthus Annuus (Sunflower) Seed Wax	8
2	Candelilla WaxMK-4	CANDELILLA (EUPHORBIA CERIFERA) WAX	2
3	Viscosity WaxU-1	SYNTHETIC JAPAN WAX	5
4	Technol®LTO	JOJOBA OIL/ CAPRYLIC/ CAPRIC TRIGLYCERIDE ESTERS	5
5	Technol®SD (Non-GMO)	HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL UNSAPONIFIABLES	10
6	Technol®MH	HYDROGENATED CASTOR OIL HYDROXYSTEARATE	20
7	Camellia Butter	CAMELLIA OLEIFERA SEED OIL / HYDROGENATED CAMELLIA OLEIFERA SEED OIL ESTERS	20
8		Polyglyceryl-2 Triisostearate	14
9		Diisostearyl Malate	9.7
10		Color Pigments	6.3
		TOTAL	100



Jojoba Seed Oil



Origin

This product is a natural ester. The oil is produced from cold pressed and purified Jojoba seeds (*Simmondsia Chinensis* or *Californica Nuttall* (*Euphorbiaceae*)).

Jojoba grows naturally or is cultivated in the southern United States of America and the arid regions of Mexico. Its seeds ripen 6 months after fertilization and are harvested once a year.

Properties

- Transparent , colorless
- Odorless
- · Highest oxidative stability

Application


- Cosmetics
- Toiletries
- Skin care products
- Hair care products
- Sun care products
- Lip care products

Oxidative Stability, CDM120

About 15 hours



INCI NAME	SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL
REACH Exemption	v
CHINA INCI	霍霍巴(SIMMONDSIA CHINENSIS)籽油
CAS	61789-91-1
EINECS	289-964-3
NET	16kg/Tin can
Shelf life	3 years





Composition(%) Our measured value		
	FFA	ALC
C16	1.1	0.1
C16:1	0.2	-
C18	-	-
C18:1	10.2	1.0
C18:2	-	-
C18:3	-	-
C20	-	0.2
C20:1	72.3	42.1
C22	-	1.1
C22:1	14.7	45.8
Others	1.5	9.9



Jojoba Seed Oil



[History]

Seeds to use in their daily lives.
They used it to remove dirt, treat sores and lives and lives and lives.

It also made the skin soft

[Harvest]
Jojoba Trees blossom in
February, fruit from May to June,
a few month later, the seeds are
collected.

Jojoba oil is used to make moisturizing cream that keeps skin from drying, and helps become healthy.

In addition, It is used for lipstick and hair care products.





The average height of the trees are approximately 2m.

Most Jojoba trees are over 100 years old and some trees are 200 years old.



Vegetable Butter




	Macadamia Nut Butter	Sunflower Butter	Camellia Butter
Origin	This product is a interesterified oil between Macadamia nut oil and hydrogenated macadamia nut oil. Application of interesterification technic enables to produce unique fats and oils, which cannot be achieved by hydrogenation technic.	This product is a interesterified fats between sunflower seed oil and hydrogenated sunflower seed oil. Application of interesterification technic enables to produce unique fats and oils, which cannot be achieved by hydrogenation technic.)	This product is a interesterified fats between Camellia seed oil and hydrogenated Camellia seed oil. Application of interesterification technic enables to produce unique fats and oils, which cannot be achieved by hydrogenation technic.)
Properties	Light yellow to white fat with odorless of slight peculiar odor		
Application	Skin care, Body care, Baby care, Hair care, Lip balm, Cleansing cream		

	Macadamia Nut Butter	Sunflower Butter	Camellia Butter
INCI NAME	MACADAMIA SEED OIL /HYDROGENATED MACADAMIA SEED OIL ESTERS	SUNFLOWER SEED OIL /HYDROGENATED SUNFLOWER SEED OIL	CAMELLIA OLEIFERA SEED OIL /HYDROGENATED CAMELLIA OLEIFERA SEED OIL ESTERS
REACH Exemption	·	V	·
CHINA INCI	澳洲坚果(MACADAMIA TERNIFOLIA)籽油 / 氢化澳洲坚果籽油	向日葵(HELIANTHUS ANNUUS)籽油 / 氢化葵花籽油	油茶(CAMELLIA OLEIFERA)籽油 / 氢化植物油
CAS	128497-20-1/129811-19-4, 85665-33-4	8001-21-6, 85665-33-4	225233-97-6, 85665-33-4
EINECS	-, 288-123-8	232-273-9, 288-123-8	-, 288-123-8
NET	15kg/Tin can	15kg/Tin can	15kg/Tin can
Shelf life	2 years	2 years	2 years
MP	40°C	50°C	40°C



Vegetable Butter



Aging test (surface) RT, after 1 week







Technol®MH, MIS



Origin

Technol MH, MIS are derived from Fully Hydrogenated Castor Oil that was developed and manufactured for the raw material, especially for the cosmetics. Castor Oil has unique structure. It has 3 hydroxyl groups in the molecule (and 1 ether bond).

Due to this unique structure and high safety characters, Castor Oil is well known and used as raw material for the cosmetics for a long time. It is perform high viscosity and get to fit the pigment and dye.

Properties

High polarity oil, High Stability to oxidation, Glossy, semitransparent paste and High dispersion force of pigment.

Application

Pale yellow paste and lightly smell. High polarity oil, High Stability to oxidation, Glossy, semitransparent paste, Glossy, semitransparent paste

Structure:

	Technol [®] MH	Technol®MIS
INCI NAME	Hydrogenated Castor Oil Hydroxystearate	Hydrogenated Castor Oil Isostearate
REACH Exemption	-	-
CHINA INCI	氢化蓖麻油羟基硬脂酸酯	氢化蓖麻油异硬脂酸酯
CAS	921608-21-1	868047-49-8
EINECS	-	
NET	16kg/Tin can	16kg/Tin can
Shelf life	3 years	3years

Specification	Technol [®] MH	Technol®MIS
Acid value	6.0 max.	6.0 max.
Iodine value	10.0 max.	8.0 max.
Saponification value	175.0 - 195.0	175.0 - 195.0
Hydroxy value	100.0 - 130.0	70.0 - 95.0
Melting point,°C	-	43.0 - 48.0
Loss on drying, %	2.0 max.	1.0 max.
Residue on Ignition , %	0.5 max.	0.1 max.
Arsenic , ppm	2 max.	2 max.
Heavy metal, ppm	20 max.	20 max.



Technol®MH, MIS


The test of cover power to hair


Sample: 10% ethanol solution Apparatus: HITACHI S-4500(FE-SEM).

Object: Hair obtained from about 29 inches ponytail

(Since human's hair extends 0.5 inches in one month, it means that these hair ends were exposed for about five years.)

(1)Blank







The surface has considerable damage.

There is crack, or the surface cuticle has separated and fallen.

②Sample dipping hair for 2 minutes, stiring gently.


After that, dried with a drier without rinsing.






A crack and peeling are buried and it turns out that the irregular surface is covered smoothly.

①After ②, The hair rinsed for 2 minutes with water was observed.






The surface seems to have rippled slightly. But the effect remains and the whole can be covered.



Technol®LTO





Characteristics

- Light weight
- Alternative to Silicone
- High oxidation stability

JOJ

Plant derived

INCI NAME

REACH Exemption

Applications

- Skin & Body care
- Hair care
- Massage oil
- Liquid foundation

OBA OIL/ CAPRYLIC/ CAPRIC TRIGLYCERIDE ESTERS
~
霍霍巴(SIMMONDSIACHINENSIS)籽油辛酸/ 癸酸甘油三酯
85665-33-4,61789-91-9

CHINA INCI	霍霍巴(SIMMONDSIACHINENSIS)籽油辛酸/ 癸酸甘油三酯	
CAS	85665-33-4,61789-91-9	
EINECS	288-123-8,289-964-3	
NET	16kg/Tin can	
Shelf life	2 years	

Specification

Appearance Clear to Light Yellow L	iquid
Acid value	0.5 max.
lodine value	15 – 25
Saponificaition value	270 - 300
Moisture , %	0.1 max.
Arsenic , ppm	2 max.
Heavy metal , ppm	20 max.


Introduction

Technol LTO-R is 100% plant derived.


This product absorbs into the skin well, similar to a low – viscosity silicone or cyclometicone.

The high oxidation stability of Technol LTO-R produces a more highly stable cosmetic.

Oxidative stability list , CDM120°C



Friction test: Spreadability of Oil



Technol LTO-R is more spreadable than other oils.

MIU is correlated with the slipperiness and non-slipperiness which we feel while touching objects. The larger MIU the less slippery it is.

MMD is correlated with the smoothness and roughness that we feel while rubbing objects. The bigger MMD value is, the rougher it is.



Evaluation of cleansing oil using the Technol®LTO


3, TEWL

Cleansing oils of formulation ① to ④ were prototyped and measured for

friction count, makeup loss, TEWL.

	Formula ①	Formula ②	Formula ③	Formula ④
	(%)	(%)	(%)	(%)
TechnolLTO-R	37.99			
Triethylhexanoin		37.99		
Cetyl Ethylhexanoate			37.99	
Ethylhexyl Palmitate				37.99
Tocopherol	0.01	0.01	0.01	0.01
Mineral Oil	25	25	25	25
Cyclopentasiloxane	5	5	5	5
PEG-7 Glyceryl Cocoate	20	20	20	20
Polyglyceryl-2 Oleate	12	12	12	12
	100	100	100	100


1, MIU&MMD(Friction Tester)



[Method] MIU and MMD were measured.

Smoothness improves when LTO-R is used.

2, Cleansing



[Method]

Apply lipstick and let it stand for 10 minutes, drop 1 drop of formulation $\textcircled{1} \sim \textcircled{4}$, Rubbed like a circle ten times with the finger's belly, rinse with water and observe the falling condition.

Using LTO-Rimproves make-up fade.

*Please refrain from diverting or copying this material without permission. Also, there are expressions that are not appropriate under the Pharmaceutical Affairs Law.




[Measurement condition]

Temperature: 20°C Humidity: 50% Measuring equipment: Tewameter Measuring part: Inner arm Coated

amount: 0.1g

Area (length \times width) : 3cm \times 3 cm



[Method] Apply formulations 1 to 4 to the inner arm and measure the change in the amount of transpiration of water over time. * Calculate the change in water transpiration amount over time, with the moisture transpiration amount before application being 100, respectively.

After oil cleansing, as the prescription ②to ④usually cleans up to the necessary sebum of the skin, the TEWL value rises sharply.

There is a tendency to suppress excessive degreasing by using LTO-R. For this reason, Suppresses the rapid rise of TEWL after cleaning.

By using TECHNOL LTO-Ras a base for oil cleansing, it is possible to make a preparation that has a smooth feeling, excellent makeup removal, and suppresses water evaporation after washing.



Technol®SD(Non-GMO)





INCI NAME	HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL UNSAPONIFIABLES
REACH Exemption	v
CHINA INCI	向日葵(HELIANTHUS ANNUUS)籽油不皂化物
CAS	68476-80-2
EINECS	270-700-0
NET	16kg/Tin can
Shelf life	3 years

Specification

Appearance	Yellow to Light Brown, liquid
Acid value	1 max.
Moisture , %	1 max.
Arsenic , ppm	1 max.
Heavy metal , ppm	10 max.

Other

Technol SD(Non-GMO) is plant derived raw material, such as sunflower. Technol SD(Non-GMO) creates a high-luster lipstick formulation by high refractive index

Since Technol SD(Non-GMO) is very high viscosity and high adhesive property, it is recommendable for hair wax and mascara formulations.

Applications

- Lin stick
- Mascara
- Hair styling products
- Skin & Body care

Grade

> Technol SD (Non-GMO)

Derived from Sunflower

Characteristics

- High refractive index 1.52
- Excellent solubility
- High sticky
- Plant derived
- REACH free
- China INCI approved




Technol®SD (Non-GMO)

Solubility

	C9-11,C10-13 ISOPARAFFIN	S
	PARAFFIN (70)	S
Hydrocarbons	PARAFFIN (350)	S
	SQUALANE	S
	ISONONYL ISONONANOATE	S
	ETHYLHEXYL PALMITATE	S
F-4	CETYL ETHYLHEXANOATE	S
Ester	TRIETHYLHEXANOIN	S
	POLYGLYCERYL-2 TRIISOSTEARATE	S
	DIISOSTEARYL MALATE	S
	PHENYL TRIMETHICONE	S
	DIMETHICONE (2)	S
Silicone	DIMETHICONE (6)	D
	DIMETHICONE (20)	ı
	CYCLOMETHICONE (D5)	S
Vogotoblo Oil	JOJOBA OIL	S
Vegetable Oil	CASTOR SEED OIL	S
UV	ETHYLHEXYL METHOXYCINNAMATE	S
	Soluble Dispersion	Insoluble

Refractive index



Lipstick

INCI	Blank YLPHG 2	SD YLPHG 1
Technol SD	0	20
Bees Wax CY-100	2	2
Hydrogenated Polyisobutene	40	20
Polyethylene	8	8
Carnauba Wax R-100	3	3
Cetyl Ethylhexanoate	45	45
Pigment Paste	2	2
	100	100

2 Refractive index



Expected Gives shiny appearance, Improvement of adhesion, effects Suppression of transpiration of moisture.







Technol® PG





Non-GMO

INCI Name	Lecithin	Phosphatidyl glycerol									
REACH Exemption	✓										
CHINA INCI	卵磷脂	_									
CAS	8002-43-5	92347-24-5									
EINECS	232-307-2	296-212-8									
Net	50	0g									
Shelf life	2 years										

Specification	
Appearance	Yellow , Paste
Iodine Value	75min , 65min (Non-GMO)
Moisture (%)	1 max.
Residue on Ignition (%)	9 max.
Phosphatidylglycerol (%)	85 min.
Arsenic , ppm	1 max.
Heavy metal , ppm	10 max.
Phosphatidylglycerol (%) Arsenic , ppm	85 min. 1 max.

Vesicle	PC	PG
Phase A		
Phosphatidylcholine (PC)	2	-
Phosphatidylglycerol (PG)	-	2
Glycerin	9	9
Propanediol	10	10
Phase B		
water	79	79
Particle size	445nm	198nm

Introduction

PG is a rare natural ingredient present in plant lecithin.

It is composed of Lecithin. It is contained high Phosphatidylglycerol (PG).

It can work as a booster to permeate active ingredients through the skin. PG works as an emulsifier that can create small emulsified particles.

PG has the effect to activate genes related to keratinocyte differentiation and it can improve rough skin.

PG can also repair oxidative damage caused by ultraviolet rays.

Characteristics

- Phosphatidylglycerol
- Plant-derived
- Emulsifier
- Keratinocyte differentiation
- Anti-Oxidative stress
- REACH free
- China INCI approved

Applications

- Skin & Body care
- Sun care
- Cream

Grade

Technol PG

Derived from soybean

> Technol PG (Non-GMO)

Derived from Sunflower



70°C, 3000rpm, 10min



Technol®PG


Improving effect on rough skin

Evaluation method: Tape stripping was applied to the inner arm, preparations with or without Technol PG were applied to this state, and the state after a certain period of time was observed.

Prescription example

表示名称	Placebo (%)	PG addition (%)
Technol PG(lecithin)	0	0.3
Glycerin	5	5
BG	7	7
Water	Make to 100	Make to 100

stratum corneum water content



Improving effect on rough skin


Evaluation method: A preparation with or without Technol PG was applied to the shin, which was originally rough skin, and the condition after a certain period of time was observed.





32h





Before application

24h

PG (0.003%)

5 hours after application







By adding Technol PG to the formula, it can be expected to improve rough skin, such as the ability to suppress water evaporation, increase the amount of moisture, and reduce redness.

Visual Expected Effect


- Irradiation on 2.0 MED UV (A+B*) on the zones defined on forearms
- Treated irradiated zone (2 µl /cm² application) / Non-treated irradiated zone
- Comparison between the products by Spectrophotometer $^{\tiny{\textcircled{\tiny \$}}}$ and macrograph

Hydrogenated lecithin (0.03%)

Non-treaed



48h





The fatty acid composition list of oils and fats (%)

Numerical Symbol	12	14	16	16:1	18	18:1	18:2	18:3	20	20:1	22	22:1	24
Fatty acid	Lauric acid	Myristic acid	Palmitic acid	Palmitoleic acid	Stearic acid	Oleic acid	Linoleic acid	Linolenic acid	Arachidic acid	Eicosenic acid	Behenic acid	Erucic acid	Lignoceric acid
Palm oil		0.9	44.4	0.2	3.9	40.1	9.4	0.2	0.3	0.1			
Cacao butter		0.1	24.1	0.1	37.5	34.0	2.6	0.1	1.0		0.2	0.1	
Shea butter			5.7		43.0	43.3	6.1		1.4	0.3			
Mango Seed Oil	7.0	3.1	4.7		42.8	33.4	5.5	0.2	0.5		0.6		0.2
Avocado oil			18.3	7.5	0.7	63.4	9.4	0.5		0.2			
Macada minut oil		0.8	8.38	22.2	3.3	55.4	3.2	0.1	2.7	2.5	0.8		
Hazelnut oil			5.4		2.7	82.7	9.2						
Olive oil			10.1	0.1	2.7	77.7	7.2	0.4	0.3	0.2	0.1		0.3
Tsubaki oil			6.9	0.1	2.1	86.5	3.8	0.1		0.3			
Camellia oil			7.4	0.1	1.8	82.5	7.6	0.2		0.5			
Tou-Tsubaki oil			10.2	0.1	2.4	78.8	7.7	0.3		0.4			
High oleic sunflower seed oil			3.2	0.1	2.7	87.5	5.1	0.1	0.2	0.2	0.8		0.2
Sunflower seed oil			5.9		5.5	16.6	70.9	0.5	0.3	0.3			
Sesame oil			9.1	0.1	5.4	39.6	44.2	0.3	0.6	0.2	0.1	0.1	
Argan oil			12.9		5.6	45.5	35.2		0.3	0.4			
Peanut oil			11.1		2.9	42.2	34.7	2.6	1.3			0.7	
Corn oil			10.5	0.2	2.0	31.8	52.8	1.8	0.5	0.4			
Cotton seed oil		0.7	18.7	0.6	2.3	16.9	59.1	0.7	0.4	0.1	0.2		
Cotton seed stearin		0.4	33.9	0.4	2.5	17.6	44.3	0.2	0.2	0.2	0.2	0.1	
Safflower oil			7.1		2.4	12.8	77.9	0.6	0.1				
Grape seed oil			7.9		3.9	20.1	67.2	0.4	0.3				
Soybean oil		0.1	9.9	0.1	4.1	22.6	55.3	6.7	0.4	0.3	0.4		
Rapeseed oil		0.1	4.3	0.2	1.5	60.7	21.4	9.8	0.4	1.0	0.2		
High erucic rapeseed oil			2.4	0.2	0.9	14.6	11.8	8.2	0.8	7.4	0.6	50.5	0.1
Rosehip oil			3.1	0.1	1.6	14.3	45.8	33.7	0.7	0.3	0.1		
Perilla ocimoides oil			6.7		2.0	22.4	12.5	56.4					
Meadowfoam seed oil			0.2			2.0	0.3		0.8	61.8		17.3	
Jojoba fatty acid			1.1	0.2		10.2				72.3		14.7	
Jojoba alcohol			0.1			1.0			0.2	42.1	1.1	45.8	
Human		3.0	25.0	9.0	4.0	48.0	11.0						




Wax Lineup

	Candelilla Wax	Carnauba Wax	Rice Wax	Bees Wax				
Products Melting point Feature INCI Name	MK-2 71°C, general grade EUPHORBIA CERIFERA(CANDELILLA)WAX		S-100 78°C general grade ORIZA SATIVA (RICE) BRAN WAX					
	MK-4 71°C, low smell EUPHORBIA CERIFERA(CANDELILLA)WAX MK-5 71°C, light color EUPHORBIA CERIFERA(CANDELILLA)WAX MD-21 66°C Hydrocarbons approx. 80% CANDELILLA WAX HYDROCARBONS	R-100 83°C general grade COPERNICIA CERIFERA(CARNAUBA) WAX	R-100 73°C Hydrogenated oil mixture ORIZA SATIVA (RICE) BRAN WAX HYDROGENATED PALM OIL HYDROGENATED RAPESEED OIL	CY-100 64°C general grade BEES WAX				
Origin	Candelilla shrub	Carnauba palm leaves	Rice bran	Bee hives				
Components	Esters 22% Free Fatty acids 10% Free alcohols 10% Hydrocarbons 40% (C31) Resins 18%	Esters 50% Hydroxyl acid esters 33% Free fatty acids 3% Free alcohols 10% Hydrocarbons 1%, Resins 3%	Esters 94% Free fatty acids 4% Free alcohols 1% hydrocarbons 1%	Esters 70% Free Fatty acids 15% Free alcohols 12% Hydrocarbons 13%				
Properties	Good balance of hardness and Brittleness Less bloom Nice gloss, less smell Many odd number hydrocarbons Lipsticks, lip liners	High melting point, Hard Emulsify easily Nice gloss Rise melting point on mix Lipsticks	High melting point, large crystal Supple hardness ,less brittle Sharp DSC carve Highly safety Mascaras	Animal wax, microcrystalline Viscosity, Emulsify easily				
Application	Foundations Hair styling agents	Mascaras, Concealers Hair styling agent	Make up foundations Foundation	Foundations Lip cares Creams				

	Sugarcane Wax	Japan Wax-Y	Sunflower Wax	Viscosity Wax				
Products Melting point Feature INCI Name	77 °C *general grade SACCHARUM OFFICINARUM (SUGARCANE) WAX *SACCHARUM OFFICINARUM (SUGARCANE) EXTRACT	51°C general grade RHUS VERNICIFLUA PEEL WAX	77°C general grade HELIANTHUS ANNUUS (SUNFLOWER) SEED WAX	U-1R 50°C general grade SYNTHETIC JAPAN WAX C-1R 55°C Inexpensive grade SYNTHETIC JAPAN WAX				
Origin	Sugarcane stalks	Peel of fruit of Rhus verniciflua	Sunflower seeds	U-1: RHUS VERNICIFLUA PEEL WAX, Chemicals C-1: RAPESEED OIL, Chemicals				
Components	Myricyl palmitate	Triglycerides of Monoprotic acid Triglycerides of Diprotic acid Free fatty acids	Esters Free fatty acids Free alcohols	Triglycerides of Monoprotic acid Triglycerides of Diprotic acid Free fatty acids Free alcohols				
Properties	Alternatives to beeswax It is effective in making thickening gel and improving keeping power	Viscosity Dense crystalline	High melting point hard wax Well soluble to solvents, and gelling	Increment of strength with elasticity (not easy to break) Texture improvement (adhesion increment)				
Application	Lipsticks, Mascaras, Eyebrow, Hair Wax	Cosmetic pencils Eyeliner Lip sticks	Lipsticks Mascaras Hair styling agents	Mascaras Make up foundations Foundation				



Wax Gelling Ability





Wax Solubility

		. Es	ter	Ну	Hydrocarbons			Ester					Silicone					Vegetable Oil				Alc.		UV	Otl	her	
Product		Technol MIS	Technol MH	C9-11,C10-13 ISOPARAFFIN	PARAFFIN (70)	PARAFFIN (350)	SQUALANE	ISONONYL ISONONANOATE	ETHYLHEXYL PALMITATE	CETYL ETHYLHEXANOATE	TRIETHYLHEXANOIN	POLYGLYCERYL-2 TRIISOSTEARATE	DIISOSTEARYL MALATE	PHENYL TRIMETHICONE	DIMETHICONE (2)	DIMETHICONE (6)	DIMETHICONE (20)	CYCLOMETHICONE (D5)	Technol SD (Non-GMO)	JOJOBA OIL	CAMELLIA OIL	CASTOR OIL	OCTYLDODECANOL	OLEIC ACID	ETHYLHEXYL METHOXYCINNAMATE	GLYCERIN	PEG-400
Candelilla Wax	MK-4	S	S	S	D	D	D	S	S	S	S	S	S	D	ı	1	ı	ı	S	S	S	S	S	S	S	ı	1
Candelilla Wax	MD-21	S	S	S	S	S	S	D	D	S	S	S	S	S	S	ı	1	S	S	S	S	S	S	S	S	ı	1
Carnauba Wax	R-100	S	S	S	S	S	S	D	D	S	S	S	D	D	ı	1	ı	ı	S	S	S	S	S	S	S	ı	1
Sunflower Wax		S	S	S	S	S	S	S	S	S	S	S	S	S	S	1	-	S	S	S	S	S	S	S	S	ı	1
Rice Bran Wax	S-100	S	S	S	S	S	S	S	S	S	S	S	S	S	S	1	1	S	S	S	S	S	S	S	S	ı	1
Sugarcane Wax		S	S	S	S	S	S	S	S	S	S	S	S	S	1	1	1	ı	S	S	S	S	S	S	S	1	1
Bees Wax	CY-100	S	S	S	S	S	S	S	S	S	S	S	S	S	S	ı	-	S	S	S	S	S	S	S	S	ı	ı
Polyethylene wax		S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	D	S	S	S	S	S	S	S	S	ı	ı
Fischer-Tropsch Wax		S	S	S	S	S	S	S	S	S	S	S	S	S	S	1	1	1	S	S	S	1	S	S	S	1	1
Ceresin Wax		S	S	S	S	S	S	S	S	S	S	S	S	S	D	S	I	S	S	S	S	S	S	S	S	ı	ı
Microcrystalline Wax		S	S	S	S	S	S	S	S	S	S	S	S	S	S	1	I	S	S	S	S	1	S	S	S	I	1

 ${\it Copyright@ 2022\ Yokozeki\ Oil\ \&\ Fat\ Industries\ Co.,\ Ltd.\ \ All\ Right\ Reserved.}$

S Soluble

Oil: Wax = 80: 20

D Dispersion